



Assessment of the most sustainable "management scenario" for an old pesticide dumpside

Bondgård, Morten; Melvej, Anja; Rüegg, Kaspar; Hvidberg, Børge; Fredborg, Hans ; Lemming, Gitte; Bjerg, Poul Løgstrup; Binning, Philip John

Publication date:
2015

[Link back to DTU Orbit](#)

Citation (APA):

Bondgård, M., Melvej, A., Rüegg, K., Hvidberg, B., Fredborg, H., Lemming, G., Bjerg, P. L., & Binning, P. J. (2015). *Assessment of the most sustainable "management scenario" for an old pesticide dumpside*. Poster session presented at 13th International UFZ-Deltares Conference on Sustainable Use and Management of Soil, Sediment and Water Resources, Copenhagen, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

A novel multi-criteria model was used as a decision-support-tool to select the most "sustainable" management scenario for an old pesticide dumpsite

Background

- **1950s/1960s:** Dumping of chemical waste, mainly pesticides (parathion, malathion, mercury etc.)
- **1970s/1980s:** Part of the contamination was excavated
- **2006:** Encapsulation of the site (14 m deep steel sheet piling)
- **2014:** >100 tons of toxic chemicals remains in the ground
- **2014:** Decision on future management of the dumpsite

Groyne 42 Pesticide dumpsite




Remediation alternatives ("management scenarios")

Scenario (method)	Price (mio. euro)	Time (years)	Pesticides removed (%)	Mercury Removed (%)
In situ alkaline hydrolysis	13	12	> 90%	10-20
In situ thermal remediation	16	5	> 95%	0
Excavation +off-site treatment	34	6	100%	100
Encapsulation (continued)	0,13 (pr. year)	-	0	0

What scenario is the most sustainable?

A multi-criteria model was used to assess sustainability



Results

When criteria weights derived by the stakeholders are taken into consideration the assessment shows that:

Continued encapsulation is the least sustainable solution

This is primarily due to large societal impacts and the poor effect on contaminant removal

Excavation, off-site treatment and disposal becomes the most sustainable solution

This is due to large removal efficiency for both pesticides and mercury and a low impacts on society.

Conclusion

In August 2014 the Regional politicians decided on "excavation and off-site treatment" as the future remediation method based on the result of the sustainability assessment using the multi-criteria model and stakeholder involvement.

Stakeholder workshop — decision on criteria weights (W)

